

Ionic

Ionic cast iron radiators are a contemporary take on a classic design. Their purposeful stance makes them the centerpiece to any room, while a wide choice of finishes highlights their subtle details.




2 column shown here in Light Old Penny with Kentwell TRV satin valves, pipe sleeves and wall stay

Material	Operating up to	Delivery	Guarantee	Colour Chart	Colour Matching Available**
CI	6bar	1 week*	10 yrs	2	

Ionic 2 Column


The Ionic 2 Column is perfect for maintaining the elegant aesthetic of cast iron in smaller rooms, or narrow spaces such as hallways.

Ionic radiators are supplied as floor standing as standard. Wall mounted models are available by request at no extra cost.



All information is per section		43/2	58/2	68/2	97/2
Primer (requires overpainting)		£38.30 ex VAT	£46.90 ex VAT	£57.30 ex VAT	£78.00 ex VAT
		£45.96 inc VAT	£56.28 inc VAT	£68.76 inc VAT	£93.60 inc VAT
Classic colour finish		£56.80 ex VAT	£65.40 ex VAT	£75.80 ex VAT	£96.50 ex VAT
		£68.16 inc VAT	£78.48 inc VAT	£90.96 inc VAT	£115.80 inc VAT
Special effects finish		£88.30 ex VAT	£96.90 ex VAT	£107.30 ex VAT	£128.00 ex VAT
		£105.96 inc VAT	£116.28 inc VAT	£128.76 inc VAT	£153.60 inc VAT
Height	mm	490	640	740	1040
Output Δt 50°C	watts	41.0	46.0	62.0	74.0
No. columns deep		2	2	2	2
Depth	mm - D1	70	70	70	70
Depth (wall to face)	mm - D2	102 or 112	102 or 112	102 or 112	102 or 112
Pipe centres from wall	mm - D3	67 or 77	67 or 77	67 or 77	67 or 77
Width	mm - W	60	60	60	60
Dry weight	kg	2.60	3.41	3.82	5.15
Water content	litres	0.36	0.48	0.56	0.8
Max no. factory built sections #		20	20	20	17

A joining tool is required for on-site assembly for longer lengths than the factory maximum number of sections.



Joining key

Model / Code	ZXT00L-02	
Ionic joining key	£165.00 ex VAT	£198.00 inc VAT

We will always strive to keep on-site assembly to a minimum, but for radiators larger than the maximum factory assembled size (see charts above) on-site assembly will be required.

Full instructions and parts will be supplied, although a joining key tool will need to be purchased separately on a sale/return basis.

To calculate the length of the radiator, multiply the number of sections by the section width (see table above), then add 26mm for reducing bushes.

Please note there is a +/- 2mm manufacturers tolerance per section. We strongly recommend not setting pipework until the radiator has been delivered.




2 column wall mounted shown here in Matt Black with Chartwell TRV black nickel valves and pipe sleeves

Material	Operating up to	Delivery	Guarantee	Colour Chart	Colour Matching Available**
CI	6bar	1 week*	10 yrs	2	

Ionic 4 Column


Our most popular model in the range, the Ionic 4 Column balances the need for higher outputs in a small footprint by offering a wide variety of heights.

Ionic radiators are supplied as floor standing as standard. Wall mounted models are available by request at no extra cost



All information is per section		28/4	42/4	60/4	70/4	90/4
Primer (requires overpainting)		£49.70 ex VAT	£62.90 ex VAT	£76.30 ex VAT	£87.80 ex VAT	£114.30 ex VAT
		£59.64 inc VAT	£75.48 inc VAT	£91.56 inc VAT	£105.36 inc VAT	£137.16 inc VAT
Classic colour finish		£68.20 ex VAT	£81.40 ex VAT	£94.80 ex VAT	£106.30 ex VAT	£132.80 ex VAT
		£81.84 inc VAT	£97.68 inc VAT	£113.76 inc VAT	£127.56 inc VAT	£159.36 inc VAT
Special effects finish		£99.70 ex VAT	£112.90 ex VAT	£126.30 ex VAT	£137.80 ex VAT	£164.30 ex VAT
		£119.64 inc VAT	£135.48 inc VAT	£151.56 inc VAT	£165.36 inc VAT	£197.16 inc VAT
Height	mm	357	475	660	760	960
Output Δt 50°C	watts	43.6	65.1	93.0	107.8	138.7
No. columns deep		4	4	4	4	4
Depth	mm - D1	144	144	144	144	144
Depth (wall to face)	mm - D2	176 or 186	176 or 186	176 or 186	176 or 186	176 or 186
Pipe centres from wall	mm - D3	104 or 114	104 or 114	104 or 114	104 or 114	104 or 114
Width	mm - W	60	60	60	60	60
Dry weight	kg	2.40	3.50	5.30	5.90	7.50
Water content	litres	0.35	0.51	0.85	0.97	1.10
Max no. factory built sections #		20	20	17	17	17

A joining tool is required for on-site assembly for longer lengths than the factory maximum number of sections.



Joining key

Model / Code	ZXTOOL-02	
Ionic joining key	£165.00 ex VAT	£198.00 inc VAT

We will always strive to keep on-site assembly to a minimum, but for radiators larger than the maximum factory assembled size (see charts above) on-site assembly will be required.

Full instructions and parts will be supplied, although a joining key tool will need to be purchased separately on a sale/return basis.

To calculate the length of the radiator, multiply the number of sections by the section width (see table above), then add 26mm for reducing bushes.

Please note there is a +/- 2mm manufacturers tolerance per section. We strongly recommend not setting pipework until the radiator has been delivered.




4 column shown here in Anthracite finish with Chartwell anthracite thermostatic valves and traditional anthracite pipe sleeves

Material	Operating up to	Delivery	Guarantee	Colour Chart	Colour Matching Available**
CI	6bar	1 week*	10 yrs	2	

Ionic 6 Column


For larger rooms, the Ionic 6 Column delivers impressive outputs while still delivering a sophisticated and elegant aesthetic.

Ionic radiators are supplied as floor standing as standard. Wall mounted models are available by request at no extra cost



All information is per section		42/6	60/6	70/6	90/6
Primer (requires overpainting)		£87.80 ex VAT	£110.60 ex VAT	£142.90 ex VAT	£181.00 ex VAT
		£105.36 inc VAT	£132.72 inc VAT	£171.48 inc VAT	£217.20 inc VAT
Classic colour finish		£106.30 ex VAT	£129.10 ex VAT	£161.40 ex VAT	£199.50 ex VAT
		£127.56 inc VAT	£154.92 inc VAT	£193.68 inc VAT	£239.40 inc VAT
Special effects finish		£137.80 ex VAT	£160.60 ex VAT	£192.90 ex VAT	£231.00 ex VAT
		£165.36 inc VAT	£192.72 inc VAT	£231.48 inc VAT	£277.20 inc VAT
Height	mm	485	660	760	960
Output Δt 50°C	watts	95.3	133.0	151.0	197.0
No. columns deep		6	6	6	6
Depth	mm - D1	221	221	221	221
Depth (wall to face)	mm - D2	253 or 263	253 or 263	253 or 263	253 or 263
Pipe centres from wall	mm - D3	142.5 or 152.5	142.5 or 152.5	142.5 or 152.5	142.5 or 152.5
Width	mm - W	60	60	60	60
Dry weight	kg	5.80	7.74	9.92	13.90
Water content	litres	0.85	1.20	1.40	1.50
Max no. factory built sections #		17	17	15	10

A joining tool is required for on-site assembly for longer lengths than the factory maximum number of sections.



Joining key

Model / Code	ZXT00L-02	
Ionic joining key	£165.00 ex VAT	£198.00 inc VAT

We will always strive to keep on-site assembly to a minimum, but for radiators larger than the maximum factory assembled size (see charts above) on-site assembly will be required.

Full instructions and parts will be supplied, although a joining key tool will need to be purchased separately on a sale/return basis.

To calculate the length of the radiator, multiply the number of sections by the section width (see table above), then add 26mm for reducing bushes.

Please note there is a +/- 2mm manufacturers tolerance per section. We strongly recommend not setting pipework until the radiator has been delivered.

Ionic 6 column shown here in Bronze finish with Nostalgia brass TRV valves and traditional brass pipe sleeves