




Solene

Glass fronted electric heater



Features and Benefits

- *WiFi connectivity*
- *White tempered glass panel*
- *Wall mounted*
- *Eco/Comfort/Anti-frost mode*
- *Open window detection*
- *Daily and weekly programming*
- *Overheat safety protection*

Colour: White

Heights: 425 / 430mm

Widths: 515 - 815mm

Outputs: 600 - 2000 Watts



Solene

Minimalist electric heating

Introducing Solene, a stylish wall mounted electric heater with a glass front and durable steel casing. Perfect for any space, it offers efficient heating with advanced technology.

Eco/Comfort/Anti-Frost Modes

The Eco/Comfort/Anti-Frost modes of Solene provide tailored heating solutions for different needs. Eco Mode optimises energy consumption to maintain a comfortable temperature while reducing electricity usage, making it ideal for those looking to save on energy bills and minimise environmental impact. Comfort Mode ensures consistent and even heat distribution, keeping the room at an ideal temperature for maximum comfort during daily use. Anti-Frost Mode activates automatically when the room temperature nears freezing, protecting your space from frost damage by preventing the temperature from dropping too low.

Overheat protection

Overheat safety protection in the Solene ensures your safety by automatically shutting off the heater if it detects an overheat condition. This built-in sensor continuously monitors the heater's temperature, preventing any risk of fire or damage and ensuring safe operation.

WiFi Connectivity

Solene's WiFi connectivity allows for seamless control via a smartphone app, enabling remote adjustments to settings, modes, and timers from anywhere. This smart feature supports customized heating schedules based on your routine, ensuring your home is warm when you need it while maximising energy efficiency. The app also offers real-time updates on the heater's status, including current temperature, mode, and energy consumption, helping you manage your heating usage more effectively. Additionally, Solene's WiFi connectivity often integrates with smart home systems like Amazon Alexa and Google Assistant, allowing for convenient voice control.



Model		Height	Depth	Output	Voltage	Weight	Input Frequency
Code	Width						
	mm	mm	mm	W	V	kg	Hz
SOL600W	540	425	50	600	230/240	4.55	50-60
SOL1000W	515	430	66	1000	230/240	5.25	50-60
SOL1500W	645	430	66	1500	230/240	6.55	50-60
SOL2000W	815	430	66	2000	230/240	7.20	50-60



Colour: White

Material: Steel casing with tempered glass front (with explosion-proof film)

Heights: 425 / 430mm

Widths: 515 - 815mm

Wall to front face: Depth + 26mm

Outputs: 600 - 2000 Watts

Temperature range: 5 - 35°C


Cable length: 1500mm

Protection class: IP24 (splash proof)

Voltage: 240V

Warranty: 2 years

User friendly control panel



- | | |
|-------------------|----------------|
| 1 Standby: on/off | 4 Comfort mode |
| 2 Heating status | 5 ECO mode |
| 3 Wifi | 6 Timer |

	Standby
	Mode selection
	Wifi
	Increase function
	Decrease function
	Timer

Complementary Products

Juniper HP Plus

Exhaust air heat pump water heater

- Left & right hand variants
- 200 & 300 litre models
- COP of up to 4.09
- Removable split top for ease of service
- Duplex stainless steel 2205L hot water cylinder
- Advanced software for greater efficiency
- Integrated 1.6kW back-up heater
- Energy class A++
- Flexible positioning



LEFT HAND

RIGHT HAND

Controls

Smart Life App

Using the Smart Life app you can control both the Solene & the Juniper HP Plus, with the following features:

- Set daily and weekly programmes for your heating and domestic hot water
- Set the temperatures of each operating mode
- Turn on and off all functions of each radiator
- Conveniently organise your radiators into groups



Optional Control Panel

Using the Smart Control Panel S you can control both the Solene & the Juniper HP Plus:

- 4 inch full screen
- Alexa Voice Service
- Zigbee Gateway



Input: 100 ~ 240 VAC, 50/60Hz

Rated current: 74mA

Wireless protocol: Wi-Fi, Zigbee, Sigmesh

Working temperature: 0°C~40°C

Dimensions (HxWxD): 86x86x10.5mm
(without base)
86x86x36.2mm
(with base)

Net weight: 198g



Unit 4 Genesis, Endeavour Drive, Basildon, Essex SS14 3WF
Tel: +44 (0) 345 521 5666 Fax: +44 (0)1268 888260
mhs@modularhg.co.uk orders@modularhg.co.uk
aftersales@modularhg.co.uk www.mhsradiators.co.uk

SALES OFFICE - +44 (0)1268 546789 AFTER SALES SUPPORT - +44 (0)1268 546775

